Author index

Adams, M.J. see Batista, M.F.
Aitkin, E.A.B., Newbury, H.J. and Callow, J.A. Races of rust (*Puccinia antirrhini*) of *Antirrhinum majus* and the inheritance of host resistance, 169
Al-Hamdany, M.A. see Tamini, K.M.
Al-Musa A.M. Severe mosaic caused by zucchini yellow mosaic virus in cucurbits from Jordan, 541
Anjaiah, V., Reddy, D.V.R., Manohar, S.K., Naidu, R.A., Nene, Y.L. & Ratna, A.S. Isolation and characterization of a potyvirus associated with bushy dwarf symptom in chickpea, *Cicer arietinum*, in India, 520
Antoniw, J.F. see Batista, M.F.
Antoniw, J.F. see Xie, W.
Arnold, M.K. see Edwards, M.L.
Avgelis, A.D. and Katis, N. Occurrence of squash mosaic virus in melons in Greece, 111
Avgelis, A.D. Watermelon necrosis caused by a strain of melon necrotic spot virus, 618

Ball, S.F.L. see Semisi, S.T.
Batista, M.F., Antoniw, J.F., Swaby, A.G., Jones, P. and Adams, M.J. RNA/cDNA hybridization studies of UK isolates of barley yellow mosaic virus, 226
Beever, R.E., Laracy, E.P. and Pak, H.A. Strains of *Botrytis cinerea* resistant to dicarboximide and benzimidazole fungicides in New Zealand vineyards, 427
Berrie, A. *Compendium of Grape Diseases* (book review), 308
Bevan, J.R. see Taylor, J.D.
Birks, K.A. see Jones, D.R.
Boccardo, G. see Caciagli, P.
Brasier, C.M. see Dewey, F.M.
Brassett, P.R. and Gilligan, C.A. Fitting of simple models for field disease progress data for the take-all fungus, 397
Bridge, P.D., Hawksworth, D.L., Kavische, D.F. and Farnell, P.A. A revision of the species concept in *Sarcocladium*, the causal agent of sheath-rot in rice and bamboo blight, based on biochemical and morphometric analyses, 239
Buxton, J.H. *Tyrophagus longior* (Gervais) (Acarina; Acaridae) as a pest of ornamentals grown under protection, 447

Caciagli, P., Boccardo, G. and Lovisolo, O. Parietaria mottle virus, a possible new ilarvirus from *Parietaria officinalis* (Urticaceae), 577
Callow, J.A. see Aitken, E.A.B.
Carder, J.H. *The Growing Plant Cell Wall* (book review), 123
Carmely, S. see Levy, E.
Chee, K.H. see Radziah, N.Z.
Chet, I. see Levy, E.
Chinodya, R. see Hillocks, R.J.
Clifford, B.C. *Wheat Breeding: Its Scientific Basis* (book review), 455
Cohen, Y. and Samoucha, Y. Selection for metalaxyl resistance in potato crops infected with *Phytophthora infestans*: effects of fungicides and initial frequency of resistant sporangia, 382
Cohen, Y. see Kadish, D.
Cook, R.J. and Yarham, D.J. Occurrence of tan spot of wheat caused by *Pyrenophora tritici-repentis* on wheat in England and Wales in 1987, 101
Cook, R.J. *Maize Diseases: A Reference Source for Seed Technologists* (book review), 308
Cook, R.J. see Thomas, M.R.
Cook, R.T.A. Control of *Glomerella cingulata* f.sp. *camelliae* with fungacides, 514
Cook, R.T.A. see Dickens, J.S.W.
Cooper, J.I. see Edwards, M.L.

Corrigenda, 311, 458
Creighton, N.F. Identification of W-type and R-type isolates of *Pseudocercosporella herpotrichoides*, 484
Crute, I.R. see Taylor, J.D.
Cunningham, P.J. see Eagling, D.R.

Darby, P., Godwin, J.R. & Mansfield, J.W. The assessment of partial resistance to powdery mildew disease in hops, 219
Davis, J.H.C. see Drijfhout, E.
Davis, R.I., Ogle, H., Hayward, A.C., Meekin, J.S., Irwin, J.A.G. and Kumar, J. Aetiology of stem canker diseases of pigeonpea in Fiji, 440
Deverall, B.J., see Southerton, S.G.
Dewey, F.M., Munday, C.J. and Braiser, C.M. Monoclonal antibodies to specific components of the Dutch elm disease pathogen *Ophiostoma ulmi*, 9
Dickens, J.S.W. and Cook, R.T.A. *Glomerella cingulata* on camellia, 75
Drijfhout, E. and Davis, J.H.C. Selection of the new set of homogeneously reacting bean (*Phaseolus vulgaris*) differentials to differentiate races of *Colletotrichum lindemuthianum*, 391
Duncan, J.M. and Kennedy, D.M. The effect of waterlogging on *Phytophthora* root rot of red raspberry, 161
Dyce, P.E. see Williamson, C.J.

Eagling, D.R., Cunningham, P.J., Sward, R.J. and Halloran, G.M. The incidence of barley yellow dwarf virus isolates in perennial ryegrass (*Lolium perenne*) in south-western Victoria, 408
Eden-Green, S.J. *Laboratory Guide for Identification of Plant Pathogenic Bacteria* (book review), 452
Edwards, M.L., Kelly, S.E., Arnold, M.K. and Cooper, J.I. Properties of a hordeivirus from *Anthoxanthum odoratum*, 209
Elad, Y. see Katan, T.
Eyal, Z. see Levy, E.

Farnell, P.A. see Bridge, P.D.
Fattah, F.A. see Tamimi, K.M.
Fitt, B.D.L. see Walklate, P.J.
Flavell, R.B. see O'Dell, M.
Fletcher, J.T. British Society for Plant Pathology Presidential Address 1988. Plant Pathology—challenges and opportunities, 132
Fletcher, J.T. *The UK Pesticide Guide* 1988 (book review), 123
Fletcher, J.T. *The UK Pesticide Guide* 1989 (book review), 631
Fletcher, J.T. see Wright, D.M.
Fortune, M. see Fersad, C.
Friend, J. *Fungal Infections of Plants* (book review), 456

Gibbs, J.N. *Leptographium Root Diseases of Conifers* (book review), 125
Gilligan, C.A. see Brassett, P.R.
Giltrap, N.J. see Yarham, D.J.
Godwin, J.R. see Darby. P.
Gott, K.A., Maude, R.N. and Thomas, T.H. Fungitoxicity of plant growth regulators (PGRs) and PGR/fungicide mixtures in soak treatments to *Septoria apiicola* pycnidiospores, 21
Gregory, S.C. *Armillaria* species in northern Britain, 93

Hadar, E. see Katan, T.
Hall, C. and Humphreys-Jones, D.R. *Peronospora* on *Phygelius aequalis* compared with *Peronospora sordida* and *Peronospora verbasci*, 103
Hall, G. Unusual or interesting records of plant pathogenic Oomycetes, 604
Halloran, G.M. see Eagling, D.R.
Harbourne, J.B. *Handbook of Plants with Pest-Control Properties* (book review), 125

Hardwick, N.V. *Biological and Cultural Tests for Control of Plant Disease, Vol. 3, 1988* (book review), 307
Harrison, J.G. and Lowe, R. Effects of humidity and air speed on sporulation of *Phytophthora infestans* on potato leaves, 585
Hawksworth, D.L. see Bridge, P.D.
Hayward, A.C. see Davis, R.I.
Hicks, R.G.T. see Perkins, C.J.
Hill, S.A. and Torrence, L. Rhizomania disease of sugar beet in England, 114
Hillocks, R.J. and Chinodya, R. The relationship between *Alternaria* leaf spot and potassium deficiency causing premature defoliation of cotton, 502
Hocart, M.J., Lucas, J.A. and Peberdy, J.F. Vegetative incompatibility in *Pseudocercosporella herptrichoides*, 478
Hollomon, D.W. *Pesticide Chemistry* (book review), 453
Hseu, S.H. see Huang, C.H.
Huang, C.H., Hseu, S.H. and Tsai, J.H. Purification, serology and properties of five zucchini yellow mosaic virus isolates, 414
Hughes, J.d'A. Strawberry June yellows—a review, 146
Humphreys-Jones, D.R. see Hall, C.
Hunter, T. Occurrence of *Tapesia yallundae*, teleomorph of *Pseudocercosporella herpotrichoides*, on unharvested wheat culms in England, 598
Hurst, J.M. New Honorary Member of the British Society of Plant Pathology, 129
Hutcheon, J.A. see Jordan, V.W.L.

Irwin, J.A.G. see Davis, R.I.

Jackson, C.W. *Fungi in Biological Control Systems* (book review), 451
Johnson, R. *Wheat and Wheat Improvement* (book review), 127
Jones, D.R., Slade, M.D. and Birks, K.A. Resistance to organomercury in *Pyrenophora graminea*, 509
Jones, P. see Batista, M.F.
Jordan, V.W.L., Stinchcombe, G.R. and Hutcheon, J.A. Fungicide and nitrogen applications in relation to the improvement of disease control and yield in winter barley, 26

Kadish, D. and Cohen, Y. Population dynamics of metalaxyl-sensitive and metalaxyl resistant isolates of *Phytophthora infestans* in untreated crops of potato, 271
Kashman, Y. see Levy, E.
Katan, J. see Katan, T.
Katan, T., Elad, Y. and Yunis, H. Resistance to diethofencarb (NPC) in benomyl-resistant field isolates of *Botrytis cinerea*, 86
Katan, T., Hadar, E. and Katan, J. Vegetative compatability of *Fusarium oxysporum* f.sp. *dianthi* from carnation in Israel, 376
Katis, N. see Avgelis, A.D.
Kavishe, D.F. see Bridge, P.D.
Kelly, S.E. see Edwards, M.L.
Kennedy, D.M. see Duncan, J.M.
King, J.E. see Thomas, M.R.
Koffman, W. see Penrose, L.J.
Kumar, J. see Davis, R.I.

Lakshmanan, P. and Mohan, S. Twig and stem blight of cotton caused by *Botryodiplodia theobromae*, 290
Laracy, E.P. see Beever, R.E.
Lennox, C.L. and Rijkenberg, F.H.J. Scanning electron microscopy study of infection structure formation of *Puccinia graminis* f.sp. *tritici* in host and non-host cereal species, 547
Levy, E., Eyal, Z., Carmely, S., Kashman, Y. and Chet, I. Suppression of *Septoria tritici* and *Puccinia recondita* of wheat by an antibiotic-producing fluorescent pseudomonad, 564

Lewis, J.A. see Papivizas, G.C.
Liu, Q., Rimmer, S.R. and Scarth, R. Histopathology of compatability and incompatability between oilseed rape and *Albugo candida*, 176
Liyanage, N.I.S. *Phytophthora citricola* on rubber in Sri Lanka, 438
Liyanage, N.I.S. and Wheeler, B.E.J. Comparative morphology of *Phytophthora* species on rubber, 592
Liyanage, N.I.S. and Wheeler, B.E.J. *Phytophthora katsurae* from cocoa, 627
Lovisolo, O. see Caciagli, P.
Lowe, R. see Harrison, J.G.
Lucas, J.A. see Hocart, M.J.
Lyon, G.D. The biochemical basis of resistance of potatoes to soft rot *Erwinia* spp., 313

Manohar, S.K. see Anjaiah, V.
Manohar, S.K. see Naidu, R.A.
Mansfield, J.W. see Darby, P.
Maude, R.B. see Gott, K.A.
McCartney, H.A. see Walklate, P.J.
McKeown, B.M. see Yarham, D.J.
McPherson, G.M. see Wright, D.M.
Meekin, J.S. see Davis, R.I.
Mogistein, M. see Tomlinson, D.L.
Mohan, S.B. Cross-reactivity of antiserum raised against *Phytophthora fragariae* with other *Phytophthora* species and its evaluation as a genus-detecting antiserum, 352
Mohan, S. see Lakshmanan, P.
Munday, C.J. see Dewey, F.M.

Naidu, R.A., Manohar, S.K., Reddy, D.V.R. and Reddy, A.S. A plant rhabdovirus associated with peanut veinal chlorosis disease in India, 623
Naidu, R.A. see Anjaiah, V.
Naveh, L., see Tanne, E.
Neate, S.M. A comparison of controlled environment and field trials for detection of resistance in cereal cultivars to root rot caused by *Rhizoctonia solani*, 494
Nene, Y.L. see Anjaiah, V.
Newbury, H.J. see Aitkin, E.A.B.
Newton, A.C. Measuring the sterol content of barley leaves infected with powdery mildew as a means of assessing partial resistance to *Erysiphe graminis* f.sp. *hordei*, 534
Newton, A.C. Somatic recombination in *Rhynchosporium secalis*, 71

O'Dell, M., Wolfe, M.S., Flavell, R.B., Simpson, C.G. and Summers, R.W. Molecular variation in populations of *Erysiphe graminis* on barley, oats and rye, 340
Ogle, H. see Davis, R.I.

Pak, H.A. see Beever, R.E.
Papivizas, G.C. and Lewis, J.A. Effect of *Gliocladium* and *Trichoderma* on damping-off and blight of snapbean caused by *Sclerotium rolfsii* in the greenhouse, 277
Park, R.F. and Rees, R.G. Expression of adult plant resistance and its effect on the development of *Puccinia striiformis* f.sp. *tritici* in some Australian wheat cultivars, 200
Peberdy, J.F. see Hocart, M.J.
Penrose, L.J., Koffman, W. and Ridings, H.I. Factors affecting the efficacy of post-harvest fungicide applications for the control of blue mould (*Penicillium expansum*) in stored apples, 421
Perkins, C.J. and Hicks, R.G.T. Some properties of alfalfa mosaic virus isolated from *Buddleia davidii* in the UK, 443
Persad, C. and Fortune, M. A new disease of sorrel (*Hibiscus sabdariffa* var. *sabdariffa*) caused by *Coniella musaiaensis* var. *hibisci* from Trinidad and Tobago, 615
Plumb, R.T. *The Viruses: The Plant Viruses. Vol. 3, Polyhedral Virions with Monopartite RNA Genomes. Vol. 4, The Filamentous Plant Viruses* (book review), 305

Potter, L.R. *The Grass Crop: The Physiological Basis of Production* (book review), 309
Preece, T.F. *Laboratory Exercises in Plant Pathology: An Instructional Kit* (book review), 126
Pritchard, P.R., Rowe, P.S. & Rossall, S. A comparison of infection of resistant and susceptible lines of field bean (*Vicia faba*) by *Ascochyta fabae*, 266

Radziah, N.Z. and Chee, K.H. A new foliar disease of rubber, 293
Ratna, A.S. see Anjaiah, V.
Reader, S.L. see Taylor, J.D.
Reddy, A.S. see Naidu, R.A.
Reddy, D.V.R. see Anjaiah, V.
Reddy, D.V.R. see Naidu, R.A.
Rees, R.G., see Park, R.F.
Richardson, M.J. *A Dictionary of Plant Pathology* (book review), 630
Ridings, H.I. see Penrose, L.J.
Rijkenberg, F.H.J. see Lennox, C.L.
Rimmer, S.R. see Liu, Q.
Rossall, S. see Pritchard, P.R.
Rowe, P.S. see Pritchard, P.R.
Royle, D.J. see Shaw, M.W.

Samoucha, Y. see Cohen, Y.
Scarth, R. see Liu, Q.
Sela, I., see Tanne, E.
Semisi, S.T. and Ball, S.F.L. Infection of the pearl millet (*Pennisetum americanum*) inflorescence by the downy mildew fungus (*Sclerospora graminicola*), 571
Shaw, M.W. and Royle, D.J. Airborne inoculum as a major source of *Septoria tritici* (*Mycosphaerella graminicola*) infections in winter wheat crops in the UK, 35
Shaw, M.W. A model of the evolution of polygenically controlled fungicide resistance, 44
Shaw, M.W. Corrigendum, 311
Shaw, M.W. *The Epidemiology and Ecology and Infectious Disease Agents* (book review), 454
Shephard, M.C. *The Crop Protection Directory 1988–9* (book review), 125
Simpson, C.G. see O'Dell, M.
Sisterna, M.N. Two new species of *Bipolaris*, 98
Slade, M.D. see Jones, D.R.
Southerton, S.G. and Deverall, B.J. Histological studies of the expression of the *Lr9*, *Lr20* and *Lr28* alleles for resistance to leaf rust in wheat, 190
Stinchcombe, G.R. see Jordan, V.W.L.
Summers, R.W. see O'Dell, M.
Swaby, A.G. see Batista, M.F.
Sward, R.J. see Eagling, D.R.

Tamimi, K.M., Fattah, F.A. and Al-Hamdany, M.A. Shoot apex fasciation in *Sesamum indicum* associated with myoplasma-like organisms, 300
Tanne, E., Naveh, L. and Sela, I. Serological and molecular evidence for the complexity of the leafroll disease of grapevine, 183
Taylor, J.D., Bevan, J.R., Crute, I.R. and Reader, S.L. Genetic relationship between races of *Pseudomonas syringae* pv. *pisi* and cultivars of *Pisum sativum*, 364
Thakur, R.P. Flowering events in relation to smut susceptibility in pearl millet, 557
Thomas, M.R., Cook, R.J. and King, J.E. Factors affecting development of *Septoria tritici* in winter wheat and its effect on yield, 246
Thomas, T.H. see Gott, K.A.
Tomlinson, D.L. and Mogistein, M. Occurrence of bacterial wilt of peanut (*Arachis hypogaea*) caused by *Pseudomonas solanacearum* and opportunistic infection of aibika (*Abelmoschus manihot*) in Papua New Guinea, 287
Torrence, L. see Hill, S.A.
Tsai, J.H. see Huang, C.H.

Vanderplank, J.E. A paradox as an aid to understanding host–pathogen specificity, 144

Walklate, P.J. Vertical dispersal of plant pathogens by splashing. Part I: the theoretical relationship between rainfall and upward rain splash, 56
Walklate, P.J., McCartney, H.A. and Fitt, B.D.L. Vertical dispersal of plant pathogens by splashing. Part II: experimental study of the relationship between raindrop size and the maximum splash height, 64
Waller, J.M. *Compendium of Sweet Potato Diseases* (book review), 308
Waller, J.M. *Soybean Disease of the North Central Region* (book review), 307
Wheeler, B.E.J. *Plant Pathology* (book review), 305
Wheeler, B.E.J. see Liyanage, N.I.S.
White, J.G. *Principles of Seed Pathology* (book review), 450
White, R.F. see Xie, W.
Williamson, C.J. and Dyce, P.E. The effect of calcium cyanamide on the reaction of swede cultivars to populations of *Plasmodiophora brassicae*, 230
Wolfe, M.S. *Genetics of Plant Pathogenic Fungi* (book review), 449
Wolfe, M.S. see O'Dell, M.
Wright, D.M., Fletcher, J.T. and McPherson, G.M. Detection of beet yellow stunt virus in England, 297

Xie, W., Antoniw, J.F. and White, R.F. Detection of beet cryptic viruses 1 and 2 in a wide range of beet plants using cDNA probes, 527

Yang, X.B. and Zeng, S.M. Effect of yellow rust on yield components of winter wheat in China, 1
Yarham, D.J. and Giltrap, N.J. Crop diseases in a changing agriculture: arable crops in the UK—a review, 459
Yarham, D.J. and McKeown, B.M. Airborne spores of *Tilletia caries* as a source of wheat bunt through soil contamination, 612
Yarham, D.J. see Cook, R.J.
Yunis, H. see Katan, T.

Zeng, S.M. see Yang, X.B.